



Michael P. Zeringue, MD

Please discontinue the following medications 1 week before your procedure

### Anti- inflammatory Medications

Arthrotec	Aspirin	Motrin	Meloxicam (Mobic)
Advil	Ecotrin	Choline Magnesium (Trilisate)	Oxyaprozin (Daypro)
Mobic		Diflunisal (Dolobid)	Piroxicam (Feldene)
Aleve	Omega 3 fatty acid	Etodalac (Lodine)	Salsalate (Disalacid)
Celebrex	Naproxen	Fenoprofen (Nalfon)	Sulindac (Clinoril)
Vioxx	Anaprox	Mefenamic acid (Ponstel)	Tolmetin (Tolectin)
Diclofenac	Indomethicin (Indocin)	Ibuprofen	Valdecoxib (Bextra)
Voltran	Ketoralac	Meclofenamate (Meclofen)	

### Herbal Supplements

- Garlic
- Anthocyanins
- Black Currant
- Evening Primrose
- Borage seed
- Willow Bark Extract
- Aspen
- Goldenrod
- Devils Claw
- Ginko Biloba

### Blood Thinners *(Discuss with your Primary Care Doctor before discontinuing the following meds:)*

- Aspirin (including Ecotrin)
- Aggrenox
- \*\*\* Ticlopidine\*\*\*
- Coumadin
- Warfarin
- Plavix
- Clopidogrel
- Heparin
- Lovenox
- Enoxaprin
- Glycoprotein 2a/3b inhibitors
- Thrombolytics & Fibrinolytics

\*\*\*Ticlopidine must be stopped 14 days before procedure